

3M™ Eye Protection

Line Card

3M™ SecureFit™



Pg 4

3M™ Solus™



Pg 6

3M™ CCS



Pg 8

3M™ Virtua™



Pg 9

3M™ Maxim™ Elite



Pg 10

3M™ Over-the-Glass



Pg 10

Additional Models



Pg 11

3M™ Goggles



Pg 12

Features and Lens Colors




3M™ Pressure Diffusion Temple Technology

Eyewear temples self-adjust to a wide range of head sizes, diffusing pressure over the ear and enhancing comfort.



Lens Tilt Ratchet

Adjusts the pantoscopic tilt of the lens to help accommodate cheek bone height and improve comfort and fit.



3M™ Scotchgard™ Protector Anti-Fog Coating

Lasts longer than traditional anti-fog coatings and remains effective for up to 25 washings with water. Coating is tested to EN168 N & K for anti-fog and anti-scratch.



Brow Guard

Additional top coverage during impact and leaves room to help airflow.




Foam Gasket

Helps limit eye exposure to debris but not as tight as a goggle.



Goggles

Designed to seal to the face. Can be splash/droplet, dust and/or fine dust rated.



Cord Control System (CCS)

Designed to keep eyewear and earplugs attached, untangled and ready to use.

Lens Colors & Functions




CLEAR

Highest visual acuity and color recognition



POLARIZED

Reduces overall brightness, glare and reflected light




VERMILLION

Helps improve visual acuity and contrast




GRAY

Reduces overall brightness of visible light



BROWN

Reduces overall brightness, typically allowing color recognition



BLUE


(excl. "sodium blue")

Reduces brightness and glare from yellow light sources. Not intended for use in glass blowing.




INDOOR/OUTDOOR

Slightly reduces overall brightness of visible light



AMBER

Increases contrast by filtering hazy and blue-colored light




INFRARED FILTERS

Reduces infrared radiation



PHOTOCROMIC

Darkens when exposed to UV light (outdoors) and lightens when UV light is reduced (indoors)



ORANGE

Reduces blue light in specific applications, e.g., blue light curing




MIRRORED


Reflects light sources, helping reduce brightness

Easy Reference Guide



Product	Series	Regulatory		Design									Available Accessory			Lens Color							Lens Coating							
		Impact Rated, Z87+	CSA Z94.3	PDT Temples	Adjustable Ratchet Temples	Dual Lens	Lens Tilt Ratchet	Soft Nose Bridge	Molded Nose Bridge	Hinge Screw	Readers	Over the Glasses (OTG)	Brow Guard	Foam Gasket	Strap	Clear	Gray	Indoor/Outdoor	Photochromic	Polarized	Brown	Amber	Orange	Vermillion	Blue*	IR Lens	Mirrored Options	AS	AF/AS	SGAF/AS 
3M™ Safety Glasses	SecureFit™	200	•	•	•			•	•				•		•	•					•						•	•	•	
		300	•	•	•			•		•				•		•	•										•	•	•	
		400	•	•	•			•		•	•				•	•	•			•		•				•	•	•	•	
		400X	•	•	•			•		•		•			•	•	•					•			•		•	•	•	
		500	•	•	•			•		•			•		•	•	•					•			•		•	•	•	
		600	•	•	•	•			•	•	•			•		•	•	•	•						•		•	•	•	
		600 Tactical			•				•						•	•		•	•								•	•	•	
		3700	•	•	•			•		•		•			•	•	•										•	•	•	•
		3700X	•	•	•			•		•		•			•	•	•									•		•	•	•
Solus™	1000	•	•									•	•	•	•	•											•	•	•	
	1000 TPE	•										•	•	•	•	•											•	•	•	
	2000	•		•		•	•			•			•	•	•	•			•	•	•				•		•	•	•	
	CCS	•			•		•						•	•	•	•										•	•	•	•	
Maxim™ Elite	1000						•						•	•	•	•		•	•					•		•	•	•		
Virtua™	CCS	•	•				•		•				•	•	•	•										•	•	•		



Product	Series	Regulatory					Design			Available Accessory		Lens Color		Coating			
		Impact Rated, Z87+	D3 (Splash/Droplet)	D4 (Dust)	D5 (Fine Dust)	CSA Z94.3	Over the Glasses (OTG)	Disassemble	Neoprene/Rubber Strap	Prescription Insert	Replaceable Lens	Clear	Gray	Uncoated	AS	AF/AS	SGAF/AS 
3M™ Safety Goggles	GoggleGear™	500	•	•	•	•		•	•	•	•	•	•				•
		2890	•	•	•	•	•					•	•				•
		6000	•	•	•			•	•		•	•	•				•
Solus™	1000 TPE	•	•	•							•	•			•	•	
Centurion™			•			•		•			•	•	•			•	
332		•				•					•	•	•			•	
334		•	•			•					•	•	•			•	
Modul-R™		•	•			•					•	•	•			•	

*Excludes "sodium blue"

KEY I/O: Indoor/Outdoor, D3: Droplet & Splash, D4: Dust, D5: Fine Dust, U: Uncoated, AS: Anti-Scratch, AF/AS: Anti-Fog/Anti-Scratch, SGAF/AS: Scotchgard™ Protector Anti-Fog Coating/Anti-Scratch Lens

3M™ SecureFit™ Eye Protection

3M™ Safety Glasses

Pressure Diffusion Temple Technology for all-day comfort.



SF201AS



SF301SGAF-LBL



SF401SGAF-RED



SF401AF-FM

Product I.D.	SAP I.D.	Frame Color	Lens Color	Foam Gasket	Coating			Each/Case
					AS	AF/AS	SGAF/AS	
SecureFit™ 200 Series — Lightweight comfort at an affordable price								
SF201AF	7100090435	Clear	Clear			●		20/cs
SF201AS	7000128262	Clear	Clear		●			20/cs
SF202AF	7100022210	Gray	Gray			●		20/cs
SF202AS	7100022211	Gray	Gray		●			20/cs
SF203AF	7100021793	Amber	Amber			●		20/cs
SF203AS	7010293198	Amber	Amber		●			20/cs
SF201SGAF-BLU	7100180044	Blue	Clear				●	20/cs
SF204SGAF-BLU	7100180046	Blue	Blue				●	20/cs
SecureFit™ 300 Series — Alternate fit (Asian), designed to help accommodate high cheekbone structure and low nose bridge								
SF301AF	7010315373	Black	Clear			●		20/cs
SF301AS	7010315385	Black	Clear		●			20/cs
SF302AF	7010342616	Black	Gray			●		20/cs
SF302AS	7010386490	Black	Gray		●			20/cs
SF301SGAF-BLU	7100202279	Blue	Clear				●	20/cs
SF301SGAF-LBL	7100202277	Ice Blue	Clear				●	20/cs
SF302SGAF-BLU	7100202280	Blue	Gray				●	20/cs
SF302SGAF-LBL	7100202278	Ice Blue	Gray				●	20/cs
SecureFit™ 400 Series — Enhanced comfort and sleek design available in a variety of contemporary colors								
SF401AF	7100112435	Green/Black	Clear			●		20/cs
SF401AF-FM	7100112131	Green/Black	Clear	●		●		20/cs
SF402AF	7100112433	Green/Black	Gray			●		20/cs
SF402AF-FM	7100112244	Green/Black	Gray	●		●		20/cs
SF410AS	7100112436	Green/Black	I/O Mirror		●			20/cs
SF410AS-FM	7100112223	Green/Black	I/O Mirror	●	●			20/cs
SF401SGAF-BLU	7100150838	Blue/Gray	Clear				●	20/cs
SF401SGAF-BLU-F	7100156104	Blue/Gray	Clear	●			●	20/cs
SF401SGAF-RED	7100158218	Red/Gray	Clear				●	20/cs
SF402SGAF-BLU	7100156101	Blue/Gray	Gray				●	20/cs
SF402SGAF-BLU-F	7100156137	Blue/Gray	Gray	●			●	20/cs
SF403SGAF-YEL	7100158219	Yellow/Black	Amber				●	20/cs
SF405SGAF-BLA	7100155940	Brown/Black	Brown				●	20/cs
SF406SGAF-BLA	7100158220	Brown/Black	Orange				●	20/cs
SF407SGAF-BLU	7100156103	Blue/Gray	I/O Gray				●	20/cs
Readers								
SF415AF, +1.5 Diopter	7100115326	Green/Black	Clear			●		20/cs
SF420AF, +2.0 Diopter	7100115325	Green/Black	Clear			●		20/cs
SF425AF, +2.5 Diopter	7100115329	Green/Black	Clear			●		20/cs
Accessory								
SF-FOAM	7100112132	Replacement Foam Gasket						20/bag

KEY I/O: Indoor/Outdoor, U: Uncoated, AS: Anti-Scratch, AF/AS: Anti-Fog/Anti-Scratch, SGAF/AS: Scotchgard™ Protector Anti-Fog Coating/Anti-Scratch Lens

Pressure Diffusion Temple Technology for all-day comfort.



SF401XSGAF-BLU



SF501AF-BLK



SF601SGAF-TAC

Product I.D.	SAP I.D.	Frame Color	Lens Color	Foam Gasket	Coating			Each/Case	
					AS	AF/AS	SGAF/AS		
SecureFit™ 400X Series — Includes non-removable brow guard									
SF401XAF-GRN	7100180045	Green/Black	Clear			●		20/cs	
SF401XAS-GRN	7010528317	Green/Black	Clear		●			20/cs	
SF401XSGAF-BLU	7100180049	Blue/Gray	Gray				●	20/cs	
SF401XSGAF-GRN	7100180048	Hi-Vis Green/Clear	Gray				●	20/cs	
SF401XSGAF-WHT	7100179970	Light Blue/White	Clear				●	20/cs	
SF402XAF-GRN	7100180047	Green/Black	Gray			●		20/cs	
SF402XAS-GRN	7100180052	Green/Black	Gray		●			20/cs	
SF402XSGAF-BLU	7100180050	Blue/Gray	Gray				●	20/cs	
SF403XSGAF-YEL	7100179972	Yellow/Black	Amber				●	20/cs	
SF407XSGAF-BLU	7100180051	Blue/Gray	I/O Gray				●	20/cs	
SF409XAS-PNK	7100180054	Pink/Black	Silver Mirror		●			20/cs	
SF416XAS-BLK	7100180036	Gray/Black	Orange Mirror		●			20/cs	
SecureFit™ 500 Series — Contemporary slim lens design with adjustable ratchet temples									
SF501AF-BLK	70071737111	Clear/Black	Clear			●		20/cs	
SF502AF-BLK	70071737129	Clear/Black	Gray			●		20/cs	
SF507AF-BLK	70071737137	Clear/Black	I/O Gray			●		20/cs	
SF501AS-BLK	70071737145	Clear/Black	Clear		●			20/cs	
SecureFit™ 600 Series — Stylish dual-lens frame with a variety of lens options									
SF601RAS	7100132252	Gray	Clear		●			20/cs	
SF601SGAF	7100128689	Gray	Clear				●	20/cs	
SF601SGAF-FM	7100133322	Gray	Clear	●			●	20/cs	
SF602RAS	7100132358	Gray	Gray		●			20/cs	
SF602SGAF	7100128690	Gray	Gray				●	20/cs	
SF602SGAF-FM	7100132350	Gray	Gray	●			●	20/cs	
SF603SGAF	7100141599	Gray	Amber				●	20/cs	
SF607SGAF	7100132351	Gray	I/O Gray				●	20/cs	
SF611AS	7100132381	Gray	Gray Polarized		●			20/cs	
SF613AS	7100132380	Gray	Photochromic		●			20/cs	
SF617AS	7100132254	Gray	Low IR		●			20/cs	
SF630AS	7100132255	Gray	Shade 3 IR		●			20/cs	
SF650AS	7100132256	Gray	Shade 5 IR		●			20/cs	
SF615GSGAF	7100132362	Gray	Gray				●	20/cs	
SF615SGAF	7100132357	Gray	Clear				●	20/cs	
Readers									
SF620GSGAF, +2.0 Diopter	7100132361	Gray	Gray				●	20/cs	
SF620SGAF, +2.0 Diopter	7100132359	Gray	Clear				●	20/cs	
SF625GSGAF, +2.5 Diopter	7100132382	Gray	Gray				●	20/cs	
SF625SGAF, +2.5 Diopter	7100132360	Gray	Clear				●	20/cs	
Tactical — Tested to military vo high velocity impact requirement of MIL-PRF 32432(GL)*									
SF601SGAF-TAC	7100132253	Black	Clear				●	10/cs	
SF602SGAF-TAC	7100132369	Black	Gray				●	10/cs	
SF603SGAF-TAC	7100132368	Black	Amber				●	10/cs	
SF613AS-TAC	7100136224	Black	Photochromic		●			10/cs	
Accessory									
SF600FI	7100132738	600 Series Replacement Foam Gasket							20/bag

*15 caliber — 640-660 ft./sec. Note: This product is not currently listed on any QPL or QML program.

KEY I/O: Indoor/Outdoor, U: Uncoated, AS: Anti-Scratch, AF/AS: Anti-Fog/Anti-Scratch, SGAF/AS: Scotchgard™ Protector Anti-Fog Coating/Anti-Scratch Lens

3M™ Solus™ Eye Protection

Comfortable and stylish with a variety of features and customization options.



S1101SGAF



S1101SGAF-KT



S1201SGAF-TSKT

3M™ Safety Glasses

Product I.D.	SAP I.D.	Frame Color	Lens Color	Kit		Coating			Each/Case	
				Strap	Foam Gasket	AS	AF/AS	SGAF/AS		
Solus™ 1000 Series — Configurable design with detachable gasket, temple or strap options										
S1101SGAF	7100079183	Black/Blue	Clear					●	20/cs	
S1102SGAF	7100079184	Black/Blue	Gray					●	20/cs	
S1103SGAF	7100079185	Black/Blue	Amber					●	20/cs	
S1107SGAF	7100131794	Blue/Black	I/O					●	20/cs	
S1201SGAF	7100079049	Green/Black	Clear					●	20/cs	
S1202SGAF	7100079180	Green/Black	Gray					●	20/cs	
S1203SGAF	7100079181	Green/Black	Amber					●	20/cs	
S1207SGAF	7100127035	Green/Black	I/O					●	20/cs	
S1401SGAF	7100181053	Pink/Black	Clear					●	20/cs	
S1402SGAF	7100181054	Pink/Black	Gray					●	20/cs	
S1407SGAF	7100168177	Pink/Black	I/O Gray					●	20/cs	
S1101SGAF-KT	7100079186	Black/Blue	Clear	●	●			●	20/cs	
S1102SGAF-KT	7100105846	Black/Blue	Gray	●	●			●	20/cs	
S1107SGAF-KT	7100131819	Blue/Black	I/O	●	●			●	20/cs	
S1201SGAF-KT	7100079182	Green/Black	Clear	●	●			●	20/cs	
S1202SGAF-KT	7010341346	Green/Black	Gray	●	●			●	20/cs	
S1501SGAF	70071733656	Black	Clear					●	20/cs	
S1502SGAF	70071733664	Black	Gray					●	20/cs	
S1507SGAF	70071734001	Black	I/O Gray					●	20/cs	
S1502SGAF-KT	70071734019	Black	Gray	●	●			●	20/cs	
S1521SGAF-KT	70071734027	Black	I/O Vermillion	●	●			●	20/cs	
S1523SGAF-KT	70071734035	Black	Vermillion	●	●			●	20/cs	
Coming in August 2020: Solus™ 1000 TPE — Flexible seal that adapts to wearer's face contours, D3- D4-rated										
S1201SGAF-TKT	70071734142	Clear/Green/Black	Clear	●	●			●	20/cs	
S1202SGAF-TKT	70071734159	Clear/Green/Black	Gray	●	●			●	20/cs	
S1207SGAF-TKT	70071734167	Clear/Green/Black	I/O Gray	●	●			●	20/cs	
S1201SGAF-TSKT	70071734175	Clear/Green/Black	Clear	●				●	20/cs	
S1202SGAF-TSKT	70071734183	Clear/Green/Black	Gray	●				●	20/cs	
S1207SGAF-TSKT	70071734191	Clear/Green/Black	I/O Gray	●				●	20/cs	
Accessories										
Solus-Strap	7100085458	Solus™ Replacement Strap								10/bag
Solus-Foam	7100079749	Solus™ Replacement Foam Gasket								10/bag
S1000-CASE	70071734043	Solus™ Carrying Case								10/box

KEY I/O: Indoor/Outdoor, U: Uncoated, AS: Anti-Scratch, AF/AS: Anti-Fog/Anti-Scratch, SGAF/AS: Scotchgard™ Protector Anti-Fog Coating/Anti-Scratch Lens

3M™ Solus™ Eye Protection

Comfortable and stylish with a variety of features and customization options.



S2001SGAF-RED

Product I.D.	SAP I.D.	Frame Color	Lens Color	Foam Gasket	Coating			Each/Case
					AS	AF/AS	SGAF/AS	
Solus™ 2000 Series — Adjustable ratchet temples for a customized fit								
S2001SGAF-RED	7100203160	Gray/Red	Clear				●	20/cs
S2001SGAF-CLR	7100221705	Clear/Blue	Clear				●	20/cs
S2002SGAF-RED	7100203163	Gray/Red	Gray				●	20/cs
S2024AS-RED	7100203162	Gray/Red	Red Mirror		●			20/cs
S2001SGAF-BGR	7100203178	Black/Green	Clear				●	20/cs
S2002SGAF-BGR	7100203287	Black/Green	Gray				●	20/cs
S2003SGAF-BGR	7100203164	Black/Green	Amber				●	20/cs
S2005SGAF-BGR	7100203166	Black/Green	Brown				●	20/cs
S2007SGAF-BGR	7100203171	Black/Green	I/O Gray				●	20/cs
S2001SGAF-BGR-F	7100203183	Black/Green	Clear	●			●	20/cs
S2001AS-BLU	7100203072	Blue/Gray	Clear		●			20/cs
S2001AF-BLU	7100203151	Blue/Gray	Clear			●		20/cs
S2008AS-CLR	7100221706	Clear/Blue	Blue Mirror		●			20/cs
S2017AS-BLK	7100203187	Black/Green	Gray		●			20/cs
S2030AS-BLK	7100203188	Black/Green	Gray		●			20/cs
S2050AS-BLK	7100203186	Black/Green	Gray		●			20/cs
Readers								
S2015AF-BLU, +1.5 Diopter	7100221704	Blue/Gray	Clear				●	20/cs
S2020AF-BLU, +2.0 Diopter	7100222269	Blue/Gray	Clear				●	20/cs
S2025AF-BLU, +2.5 Diopter	7100222135	Blue/Gray	Clear				●	20/cs

3M™ Solus™ CCS and 3M™ Virtua™ CCS Eye Protection

3M™ Safety Glasses

Designed to keep eyewear and earplugs attached, untangled and ready to use.



SCCS01SGAF-GRN-F



11872-00000-20

Product I.D.	SAP I.D.	Frame Color	Lens Color	Foam Gasket	Coating			Each/Case
					AS	AF/AS	SGAF/AS	
Solus™ CCS Series								
SCCS01SGAF-GRN	7100196396	Green	Clear				●	20/cs
SCCS02SGAF-GRN	7100196395	Green	Gray				●	20/cs
SCCS07SGAF-GRN	7100196394	Green	I/O Gray				●	20/cs
SCCS01SGAF-GRN-F	7100196393	Green	Clear	●			●	20/cs
SCCS02SGAF-GRN-F	7100196397	Green	Gray	●			●	20/cs
SCCS07SGAF-GRN-F	7100196398	Green	I/O Gray	●			●	20/cs
Virtua™ CCS Series								
11796-00000-20	7010340677	Blue	Clear			●		20/cs
11797-00000-20	7000052872	Blue	Clear		●			20/cs
11798-00000-20	7010384246	Gray	Gray			●		20/cs
11799-00000-20	7000052873	Gray	Gray	●	●			20/cs
11872-00000-20	7000128259	Blue	Clear	●		●		20/cs
11873-00000-20	7000128260	Gray	Gray	●		●		20/cs
11874-00000-20	7000128261	Blue	I/O Mirror	●		●		20/cs
Readers								
VC215AF, +1.5 Diopter	7100046796	Blue	Clear	●		●		20/cs
VC220AF, +2.0 Diopter	7100046672	Blue	Clear	●		●		20/cs
VC225AF, +2.5 Diopter	7100046673	Blue	Clear	●		●		20/cs
Accessory								
VCRG1	7010316613	Virtua™ CCS Replacement Gasket						10/bag

3M™ Virtua™ Eye Protection

Economical eye protection with a variety of lens tints and features.



11326-00000-20

Product I.D.	SAP I.D.	Frame Color	Lens Color	Coating			Each/ Case
				AS	AF/AS	SGAF/AS	
Virtua™ Series							
11228-00000-100	7100114652	Clear	Clear				100/cs
11326-00000-100	7100110886	Clear	Clear	●			100/cs
11326-00000-20	7100109223	Clear	Clear	●			20/cs
11327-00000-20	7100114636	Gray	Gray	●			20/cs
11328-00000-20	7100123356	Clear	I/O	●			20/cs
11329-00000-100	7010315357	Clear	Clear		●		100/cs
11329-00000-20	7100112434	Clear	Clear		●		20/cs
11330-00000-20	7010386340	Gray	Gray		●		20/cs
11331-00000-20	7010342584	Blue Mirror	Blue Mirror	●			20/cs
11509-00000-20	7000052840	Clear	Clear	●			20/cs
11510-00000-20	7000127572	Clear	Clear		●		20/cs
11511-00000-20	7000127573	Clear	I/O Gray		●		20/cs
Readers							
11513-00000-20, +1.5 Diopter	7000127511	Clear	Clear		●		20/cs
11514-00000-20, +2.0 Diopter	7000127512	Clear	Clear		●		20/cs
11515-00000-20, +2.5 Diopter	7000127513	Clear	Clear		●		20/cs
Virtua™ V6X Series							
V6X01AF	7010385395	Black	Clear		●		20/cs
V6X01HC	7010386147	Black	Clear	●			20/cs
V6X02AF	7010342477	Black	Gray		●		20/cs
V6X02HC	7010302094	Black	Gray	●			20/cs
V6X10IO	7010385396	Black	I/O Mirror	●			20/cs
Virtua™ Sport Series							
11384-00000-20	7000042889	Clear	Clear		●		20/cs
11385-00000-20	7000127495	Clear	Clear	●			20/cs
11386-00000-20	7100006817	Gray	Gray		●		20/cs
11388-00000-20	7000127496	Clear	I/O	●			20/cs
11542-00000-20	7000127517	Light Blue	Light Blue		●		20/cs
11543-00000-20	7000127518	Light Blue	Light Blue	●			20/cs
11544-00000-20	7000127519	Light Amber	Amber		●		20/cs
11743-00000-20	7000127527	Gray	I/O Gray	●			20/cs
Virtua™ AP Series							
11815-00000-20	7000030050	Gray	Gray	●			20/cs
11816-00000-20	7000030051	Light Blue	Light Blue	●			20/cs
11817-00000-20	7000030052	Amber	Amber	●			20/cs
11819-00000-20	7000030054	Clear	Clear	●			20/cs
11847-00000-20	7000030055	Mirror	I/O Mirror	●			20/cs
11848-00000-20	7010342193	Gray	Gray		●		20/cs

KEY I/O: Indoor/Outdoor, U: Uncoated, AS: Anti-Scratch, AF/AS: Anti-Fog/Anti-Scratch, SGAF/AS: Scotchgard™ Protector Anti-Fog Coating/Anti-Scratch Lens



SF3701SGAF-BLU

3M™ Over-The-Glasses (OTG) Eye Protection

Protection that fits over most prescription eyewear.

Product I.D.	SAP I.D.	Frame Color	Lens Color	Brow Guard	Coating			Each/Case
					AS	AF/AS	SGAF/AS	
SecureFit™ 3700 Series —								
Over-The-Glass protection designed with self-adjusting temple technology for all-day wearability								
SF3701SGAF-BLU	7100203179	Blue	Clear				●	10/cs
SF3701AS-BLU	7100203180	Blue	Clear		●			10/cs
SF3701SGAF-GRN	7100203194	Green	Clear				●	10/cs
SF3701AS-GRN	7100203193	Green	Clear		●			10/cs
SF3701SGAF-ORG	7100203172	Orange	Clear				●	10/cs
SF3701AS-ORG	7100203173	Orange	Clear		●			10/cs
SF3702SGAF-BLU	7100203203	Blue	Gray				●	10/cs
SF3702AS-BLU	7100203175	Blue	Gray		●			10/cs
SF3703SGAF-GRN	7100203192	Green	Amber				●	10/cs
SF3704SGAF-BLU	70071732138	Blue	Blue				●	10/cs
SF3706AS-GRY	70071732161	Gray	Orange		●			10/cs
SF3707SGAF-BLU	7100203165	Blue	I/O Gray				●	10/cs
SF3707AS-BLU	7100203195	Blue	I/O Gray		●			10/cs
SF3717AS-BLK	70071732112	Black	IR 1.7 Gray		●			10/cs
SF3730AS-BLK	70071732120	Black	IR 3.0 Gray		●			10/cs
SF3750AS-BLK	70071732146	Black	IR 5.0 Gray		●			10/cs
SF3701XSGAF-BLU	7100203198	Blue	Clear	●			●	10/cs
SF3701XAS-BLU	7100203197	Blue	Clear	●	●			10/cs
SF3701XSGAF-RED	7100203174	Red	Clear	●			●	10/cs
SF3702XSGAF-BLU	7100203196	Blue	Gray	●			●	10/cs
SF3707XSGAF-BLU	7100203190	Blue	I/O Gray	●			●	10/cs
SF3701XASGAF-BLU	7100203189	Blue, Asian Fit	Clear	●			●	10/cs
SF3701ASGAF-BLU	7100203191	Blue, Asian Fit	Clear				●	10/cs
Tour-Guard™ V Series								
TGV01-100	7100086111	Clear	Clear		●			100/cs
TGV01-20	7100089472	Clear	Clear		●			20/cs
OX™								
12159-00000-20	7000002372	Black	Clear				●	20/cs
12166-00000-20	7000002373	Black	Clear				●	20/cs
12163-00000-20	7000042891	Black	Clear				●	20/cs



MXE1014SGAF-GRN

3M™ Maxim™ Elite Eye Protection

Performance fused with modern accents and a variety of coating options.

Product I.D.	SAP I.D.	Frame Color	Lens Color	Coating			Each/Case
				AS	AF/AS	SGAF/AS	
Maxim™ Elite 1000 Series							
MXE1001SGAF-BLK	70071734050	Black	Clear			●	20/cs
MXE1002SGAF-BLK	70071734076	Black	Gray			●	20/cs
MXE1007SGAF-BLK	70071734225	Black	I/O Gray			●	20/cs
MXE1008AF-CLR	70071734084	Clear	Blue Mirror		●		20/cs
MXE1029SGAF-BLK	70071734092	Black	Blue-Violet Mirror			●	20/cs
MXE1013SGAF-BLK	70071734100	Black	Photochromic			●	5/cs
MXE1014SGAF-GRN	70071734118	Olive	Brown Polarized			●	5/cs

Additional Models

3M™ Safety Glasses

Product I.D.	SAP I.D.	Frame Color	Lens Color	Brow Bar, Side Shields	AF/AS Coating	Each/Case
Light Vision™						
11356-00000-10	7000029994	Gray	Clear		●	10/cs
11476-00000-10	7000002361	Gray	Clear		●	10/cs
SmartLens™						
13407-00000-5	7000052827	Black	Photo-chromatic		●	5/cs
Metaliks™						
15170-10000-20	7000127552	Polished Metal	Clear		●	20/cs
15171-10000-20	7000052830	Polished Metal	Gray		●	20/cs
15172-10000-20	7000127571	Polished Metal	I/O Mirror		●	20/cs
Metaliks™ Sport						
11343-10000-20	7000127488	Brushed Nickel	Clear		●	20/cs
11344-10000-20	7100009573	Brushed Nickel	Gray		●	20/cs
11345-10000-20	7000042888	Brushed Nickel	I/O Mirror		●	20/cs
11540-10000-20	7100006313	Brushed Nickel	Blue Mirror		●	20/cs
Nuvo™						
11434-00000-20	7000052797	Gray	Clear		●	20/cs
11435-00000-20	7000052798	Gray	Clear		●	20/cs
11436-00000-20	7000052799	Gray	Clear		●	20/cs
Readers						
11434-00000-20, +1.5 Diopter	7000052797	Gray	Clear		●	20/cs
11435-00000-20, +2.0 Diopter	7000052798	Gray	Clear		●	20/cs
11436-00000-20, +2.5 Diopter	7000052799	Gray	Clear		●	20/cs
11500-00000-20, +1.5 Diopter	7000127509	Gray	Gray	●	●	20/cs
11501-00000-20, +2.0 Diopter	7000127510	Gray	Gray	●	●	20/cs

Product I.D.	SAP I.D.	Frame Color	Lens Color	AF/AS Coating	Each/Case
BX™					
11380-00000-20	7000052795	Silver/Black	Clear	●	20/cs
11381-00000-20	7000052796	Silver/Black	Gray	●	20/cs
11471-00000-20	7000052800	Blue	Clear	●	20/cs
11525-00000-20	7000052804	Blue	I/O Gray	●	20/cs
11375-00000-20	7000052794	Silver/Black	Clear	●	20/cs
Readers					
11374-00000-20, +1.5 Diopter	7000127490	Silver/Black	Clear	●	20/cs
11375-00000-20, +2.0 Diopter	7000052794	Silver/Black	Clear	●	20/cs
11376-00000-20, +2.5 Diopter	7000127491	Silver/Black	Clear	●	20/cs
11377-00000-20, +1.5 Diopter	7000127492	Silver/Black	Gray	●	20/cs
11378-00000-20, +2.0 Diopter	7000127493	Silver/Black	Gray	●	20/cs
11379-00000-20, +2.5 Diopter	7000127494	Silver/Black	Gray	●	20/cs
Dual Readers					
11457-00000-20, +1.5 Diopter	7000127661	Silver	Clear	●	20/cs
11458-00000-20, +2.0 Diopter	7000127662	Silver	Clear	●	20/cs
11459-00000-20, +2.5 Diopter	7000127663	Silver	Clear	●	20/cs

3M™ Goggles

3M™ Safety Goggles

Product I.D.	SAP I.D.	Frame Color	Lens Color	Neoprene Strap	Coating				Each/Case
					U	AS	AF/AS	SGAF/AS	
GoggleGear™ 2890 Series									
GG2892-SGAF	7010386491	Black	Gray				●		10/cs
GG2891-SGAF	7010386529	Gray	Clear				●		10/cs
GG2891S-SGAF	7010302104	Gray	Clear				●		10/cs
GoggleGear™ 500 Series									
GG501SGAF	7100079187	Gray	Clear				●		10/cs
GG501NSGAF	7100112956	Gray	Clear	●			●		10/cs
GG502SGAF	7100168468	Gray	Gray				●		10/cs
Accessories									
GG500-PI	7100084923	GoggleGear™ 500 Series Prescription Insert							10/cs
GG500-NeoStrap	7010316627	GoggleGear™ 500 Series Replacement Neoprene Strap							10/cs
GG500-ClothStrap	7010341344	GoggleGear™ 500 Series Replacement Cloth Strap							10/cs
GoggleGear™ 6000 Series									
GG6001SGAF-BLK	7100191924	Black	Clear				●		10/cs
GG6001SGAF-GRN	7100191925	Green	Clear				●		10/cs
GG6001SGAF-RED	7100191926	Red	Clear				●		10/cs
GG6002SGAF-BLK	7100191930	Black	Gray				●		10/cs
GG6001AF-GRY	7100191929	Gray	Clear			●			10/cs
GG6001NSGAF-BLU	7100191928	Blue	Clear	●			●		10/cs
Accessory									
GG6001SGAF-LENS	7100191927	GoggleGear™ 6000 Series SGAF/AS Clear Replacement Lens							30/cs



GG6001SGAF-GRN

KEY U: Uncoated, AS: Anti-Scratch, AF/AS: Anti-Fog/Anti-Scratch, SGAF/AS: Scotchgard™ Protector Anti-Fog Coating/Anti-Scratch Lens

Product I.D.	SAP I.D.	Frame Color	Lens Color	Coating				Each/Case
				U	AS	AF/AS	SGAF/AS	
Lexa™ Dust GoggleGear™								
16617-00000-10	7100075727	Clear, Medium	Clear			●		10/cs
16618-00000-10	7010045732	Clear, Large	Clear			●		10/cs
Lexa™ Splash GoggleGear™								
16644-00000-10	7010045731	Clear, Medium	Clear			●		10/cs
16645-00000-10	7010045730	Clear, Large	Clear			●		10/cs
Centurion™								
40300-00000-10	7000127564	Clear	Clear	●				10/cs
40301-00000-10	7100009575	Clear	Clear			●		10/cs
40304-00000-10	7000127565	Clear	Clear	●				10/cs
40305-00000-10	7000002377	Clear	Clear			●		10/cs
332								
40650-00000-10	7010340634	Clear	Clear	●				10/cs
40651-00000-10	7000030007	Clear	Clear			●		10/cs
334								
40660-00000-10	7000052836	Clear	Clear	●				10/cs
40661-00000-10	7000002378	Clear	Clear			●		10/cs
Modul-R™ — Face shield attachment								
40658-00000-10	7000030008	Clear	Clear			●		10/cs

Product I.D.	SAP I.D.	Frame Color	Lens Color	Kit		Coating			Each/Case
				Strap	Foam Gasket	AS	AF/AS	SGAF/AS	
Coming in August 2020: Solus™ 1000 TPE — Flexible seal that adapts to wearer's face contours, D3- D4-rated									
S1201SGAF-TKT	70071734142	Clear/Green/Black	Clear	●	●			●	20/cs
S1202SGAF-TKT	70071734159	Clear/Green/Black	Gray	●	●			●	20/cs
S1207SGAF-TKT	70071734167	Clear/Green/Black	I/O Gray	●	●			●	20/cs
S1201SGAF-TSKT	70071734175	Clear/Green/Black	Clear	●				●	20/cs
S1202SGAF-TSKT	70071734183	Clear/Green/Black	Gray	●				●	20/cs
S1207SGAF-TSKT	70071734191	Clear/Green/Black	I/O Gray	●				●	20/cs
Accessories									
Solus-Strap	7100085458	Solus™ Replacement Strap							10/bag
Solus-Foam	7100079749	Solus™ Replacement Foam Gasket							10/bag
S1000-CASE	70071734043	Solus™ Carrying Case							10/box



Personal Safety Division, 3M Center, Building 235-2W-70, St. Paul, MN 55144-1000 U.S.A.
 Technical Assistance 1-800-243-4630, Customer Service 1-800-328-1667
3M.com/ProtectiveEyewear

WARNING: These eye or face protection products help provide limited eye and face protection. Misuse or failure to follow warning and instruction may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read User Instructions and warning on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414. **3M PSD products are for occupational use only.**

© 3M 2020. All rights reserved. 3M, BX, Centurion, GoggleGear, Lexa, Light Vision, Maxim, Metaliks, Modul-R, Nuvo, OX, QX, Peltor, Scotchgard, SecureFit, SmartLens, Solus, Tour-Guard and Virtua are trademarks of 3M. Please recycle. Printed in U.S.A.