

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

#### Printing date: January 09, 2019

Revision: September 24, 2021

#### **1** Identification

- · Product identifier
- Trade name: <u>AV CAP</u>
- · Other means of identification: AVantage™ Liquid Photopolymer Resin

#### · Recommended use and restriction on use

- · Recommended use: A capping resin for producing Flexographic Printing Plates
- Restrictions on use: No relevant information available.

## · Details of the supplier of the Safety Data Sheet

• Manufacturer/Supplier: Anderson & Vreeland, Inc. 15348 US Route 127 E-W, Bryan, OH 43506 USA Tel 1-866-282-7697

## • Emergency telephone number: ChemTel Inc. (800)255-3924 (North America)

+1 (813)248-0585 (International)

### 2 Hazard(s) identification

#### · Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

#### · Label elements

#### · GHS label elements

Note for United States only:

If a Category 2 carcinogen ingredient is present in the mixture at a concentration between 0.1% and 1%, information is required on the SDS for a product. However, a label warning is optional. The product is classified and labeled according to the Globally Harmonized System (GHS).

#### · Hazard pictograms:

GHS08 is required on the sds, however, a label warning is optional.



GHS07 GHS08

#### · Signal word: Warning

#### · Hazard statements:


The following statement(s) are optional for OSHA GHS labeling: H351. Notification is still required on the SDS.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.



(Cont'd. on page 2)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 09, 2019

Revision: September 24, 2021

#### Trade name: AV CAP

	(Cont'd. of page 1)
	statements are optional for OSHA GHS labeling: P201, P202, P308+P313, P405.
	ill required on the SDS.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing mist, vapors, or spray.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection.
P302+P352	If on skin: Wash with plenty of soap and water.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· Other hazards	There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

#### · Components:

868-77-9	2-hydroxyethyl methacrylate	5-15%
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
119-61-9	benzophenone	<1%
	🗞 Carc. 2, H351; STOT RE 2, H373	
A 1 11/1		

#### Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

#### • Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact:
- Protect unharmed eye.
- Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

(Cont'd. on page 3)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 09, 2019

Revision: September 24, 2021

#### Trade name: AV CAP

(Cont'd. of page 2)

Allergic reactions Dizziness

Coughing

- Danger: Suspected of causing cancer.
- Indication of any immediate medical attention and special treatment needed:

If swallowed, gastric irrigation with added, activated carbon.

Monitor circulation, possible shock treatment.

If necessary oxygen respiration treatment.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

### **5** Fire-fighting measures

#### · Extinguishing media

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray.
- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO) In certain fire conditions, traces of other toxic gases cannot be excluded.
   Advice for firefighters
- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: Cool endangered receptacles with water spray.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

• Environmental precautions Avoid release to the environment.

• Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

Send for recovery or disposal in suitable receptacles.

- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

## 7 Handling and storage

· Handling

· Precautions for safe handling:

(Cont'd. on page 4)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 09, 2019

Revision: September 24, 2021

#### Trade name: AV CAP

(Cont'd. of page 3)

Ensure good ventilation/exhaustion at the workplace. Avoid breathing mist, vapors, or spray. Avoid splashes or spray in enclosed areas. Keep away from heat and direct sunlight.

• Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

· Conditions for safe storage, including any incompatibilities

 $\cdot$  Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

• Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions:

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

· Specific end use(s) No relevant information available.

## 8 Exposure controls/personal protection

#### · Control parameters

· Components with limit values that require monitoring at the workplace:

#### 119-61-9 benzophenone

WEEL (USA) Long-term value: 0.5 mg/m<sup>3</sup>

#### · Exposure controls

- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- · Engineering controls: No relevant information available.
- · Breathing equipment:

Not necessary if room is well-ventilated.

- Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:



Protective gloves

• Material of gloves Natural rubber, NR Butyl rubber, BR

Eye protection:



Safety glasses

· Bodv protection: Protective work clothina

## 9 Physical and chemical properties

(Cont'd. on page 5)



## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 09, 2019

Revision: September 24, 2021

#### Trade name: AV CAP

		(Cont'd. of page
· Information on basic physical a	and chemical properties	
· Appearance:		
Form:	Viscous	
Color:	Various colors	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value at 20 °C (68 °F):	7	
Melting point/Melting range:	Not determined.	
<ul> <li>Boiling point/Boiling range:</li> </ul>	> 200 °C (>392 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
<ul> <li>Oxidizing properties:</li> </ul>	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
· Viscosity		
Dynamic at 20 °C (68 °F):	30000 mPas	
Kinematic:	Not determined.	
<ul> <li>Other information</li> </ul>	No relevant information available.	

## **10 Stability and reactivity**

• Reactivity: No relevant information available. • Chemical stability:

 Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. Can decompose slowly with localized heating above 150°C.
 Possibility of hazardous reactions Reacts with reducing agents.

Reacts with strong oxidizing agents. Reacts with acids.

(Cont'd. on page 6)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 09, 2019

Revision: September 24, 2021

Trade name: AV CAP

(Cont'd. of page 4)

2B

Reacts with amines.

· Conditions to avoid Excessive heat.

· Incompatible materials Oxidizers, strong bases, strong acids

• Hazardous decomposition products Carbon monoxide and carbon dioxide

## 11 Toxicological information

· Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

119-61-9 benzophenone

Oral LD50 >10000 mg/kg (rat)

Dermal LD50 3535 mg/kg (rabbit)

### · Primary irritant effect:

· On the skin: Irritant to skin and mucous membranes.

- · On the eye: Causes eye irritation.
- Sensitization: Sensitization possible through skin contact.

· IARC (International Agency for Research on Cancer):

119-61-9 benzophenone

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

- · Carcinogenicity: Suspected of causing cancer.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information	
	ity ic toxicity oduct contains materials that are harmful to the environment.
119-61	-9 benzophenone
EC50	6.784 mg/kg (daphnia)
LC50	14.75 mg/l (pimephales promelas)
ErC50	3.5 mg/l (Pseudokirchneriella subcapitata)
L	(Cont'd. on page 7)



#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 09, 2019

Revision: September 24, 2021

#### Trade name: AV CAP

(Cont'd. of page 6)

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.

## · Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### Results of PBT and vPvB assessment

- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No relevant information available.

### 13 Disposal considerations

#### · Waste treatment methods

· Recommendation:

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### · Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
<ul> <li>Transport hazard class(es)</li> </ul>	
· DOT, ADR/RID/ADN, IMDG, IATA	
Class	Not regulated.
· Packing group	
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· Environmental hazards	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II o	f
MARPOL73/78 and the IBC Code	Not applicable.

(Cont'd. on page 8)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 09, 2019

Revision: September 24, 2021

Trade name: AV CAP

(Cont'd. of page 7)

mixture United States ( SARA	
•	tremely hazardous substances):
None of the ingr	redients are listed.
•	tremely hazardous substances):
None of the ingr	redients are listed.
• •	pecific toxic chemical listings):
None of the ingr	redients are listed.
TSCA (Toxic S	ubstances Control Act)
All ingredients a	re listed.
Proposition 65	(California) wn to cause cancer:
119-61-9 benzo	
	wn to cause developmental toxicity for females:
	redients are listed.
Chemicals kno	wn to cause developmental toxicity for males:
None of the ingr	redients are listed.
Chemicals kno	wn to cause developmental toxicity:
None of the ingr	edients are listed.
EPA (Environm	nental Protection Agency):
None of the ingr	edients are listed.
IARC (Internati	onal Agency for Research on Cancer):
	phenone
119-61-9 benzo	

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistant, Bio-accumulable, Toxic
- vPvB: very Persistent and very Bioaccumulative



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 09, 2019

Revision: September 24, 2021

#### Trade name: AV CAP

(Cont'd. of page 8)

OSHA: Occupational Safety & Health Administration Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com